

RECEIVED
CENTRAL FAX CENTER

NOV 02 2006

Application No. 10/767,194

2

Docket No.: BAF-16802/29

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) Artificial disc replacement (ADR) apparatus, comprising:
an endplate having a surface that articulates with a cooperating component; and
wherein surface of the endplate, or the endplate and the cooperating component, are
physically configured for assembly is formed with separate components that are physically
configured for assembly within an intervertebral disc space.

2. (Original) The ADR apparatus of claim 1, wherein:
the endplate, or the endplate and the cooperating component, are composed of dissimilar
materials.

3. (Withdrawn) The ADR apparatus of claim 1, wherein:
the endplate is composed of Nitinol or other shape-memory material.

4. (Withdrawn) The ADR apparatus of claim 3, wherein the Nitinol or other shape-memory
material is used to form projections that diverge or converge after insertion in the disc space.

5. (Original) The ADR apparatus of claim 1, wherein:
the endplate includes an articulating component composed of chrome cobalt or another
metal alloy.

6. (Canceled)

7. (Currently Amended) The ADR apparatus of claim ~~[[5]]~~ 1, wherein each of the separate
components are press-fit into a vertebral body.

8. (Currently Amended) The ADR apparatus of claim ~~[[5]]~~ 1, wherein the separate
components are connected through a snap-fit engagement.

GIFFORD, KRASS, GROH, SPRINKLE, ANDERSON & CITKOWSKI, P.C. 2701 TROY CENTER DR., SUITE 330, P.O. BOX 7021 TROY, MICHIGAN 48067-7021 (248) 647-6000

Application No. 10/767,194

3

Docket No.: BAF-16802/29

9. (Withdrawn) The ADR apparatus of claim 5, wherein the separate components are connected through a hinge.

10. (Withdrawn) The ADR apparatus of claim 1, wherein:
the endplate includes an articulating component that is treaded into the endplate.

11. (Withdrawn) The ADR apparatus of claim 1, wherein:
the endplate includes an articulating component that is press-fit into the endplate.

12. (Withdrawn) The ADR apparatus of claim 1, wherein:
the endplate includes an articulating component that is press-fit through a Morse-taper type joint.

13. (Currently Amended) The ADR apparatus of claim 1, wherein the cooperating component is a spacer that is not rigidly connected to the endplate.

14. (Original) The ADR apparatus of claim 13, wherein the spacer is rotated or otherwise manipulated to achieve a vertebral distraction function.

15. (Original) The ADR apparatus of claim 13, wherein the spacer is contained within a disc space using a clip or other retaining element.

16. (Canceled)

17. (Original) The ADR apparatus of claim 13, wherein the spacer is contained within a disc space using a mesh or elastic component.

18. (Original) A method of implanting an artificial disc replacement (ADR) into an intervertebral disc space, comprising the steps of:
providing an endplate constructed from first and second components;

GIFFORD, KRASS, BROOK, SPRINKLE, ANDERSON & CIBROWSKI, P.C. 2701 TROY CENTER DR., SUITE 330, P.O. BOX 7021 TROY, MICHIGAN 48007-7021 (248) 647-6000

Application No. 10/767,194

4

Docket No.: BAF-16802/29

installing the first component into an intervertebral disc space; and
installing the second component into the disc space by attaching the second component to the first component, thereby assembling the endplate *in situ*.

19. (Original) The method of claim 18, wherein the first and second components are comprised of dissimilar materials.

20. (Original) The method of claim 18, further including a spacer component which is also assembled *in situ*.

21. (Canceled)